

### WELDING



### Binzel MIG 4m Grip Torches

	Part No.	Description	Exc. GST	Inc. GST
1	002.0605	MB15AK	\$104.12	\$114.53
2	012.0252	MB24KD	\$176.67	\$194.34
3	014.0335	MB36KD	\$214.52	\$235.97



### BOC Smootharc 13 Electrodes

· All-round general-purpose electrode

- Reduced spatter and minimal ripple in the weld puddle with quick solidifying slag
- Ideal for welding in overhead and vertical positions
   Part No. Description
   Free CSL Line CSL

Part No.	Description	EXC. GST	INC. GST
187145	2.5 mm diameter, 5 kg box	\$61.57	\$67.73
187146	3.2 mm diameter, 5 kg box	\$49.47	\$54.42
187147	4.0 mm diameter, 5 kg box	\$43.46	\$47.81

### **BOC Smootharc 24 Electrodes**

BOC's Smootharc electrodes offer the most demanding operator quality, performance and control. A smooth, flat profile achieves superior edge tie-in, cutting the risk of undercut.

- High recovery rate improves productivity
- · Low emissions provide a safer operator environment

Part No.	Description	Description Exc. GST				
186166	3.2 mm diameter, 6 kg box	\$52.45	\$57.70			
186167	4.0 mm diameter, 6 kg box	\$46.01	\$50.61			

### **BOC Smootharc S 312 Electrodes**

- Excellent operator appeal, low spatter arc, smooth weld bead surface and self-releasing slag
- · Hermetically sealed cans ensure product dryness
- Smootharc S 312 welds all steels and can be used to join stainless steel to mild steel

Part No.	Description	Exc. GST	Inc. GST
188122	2.5 mm diameter,2.5 kg can	\$252.41	\$277.65
188123	3.2 mm diameter, 3.0 kg can	\$285.25	\$313.78

### **3M Welding Helmets**

### 3M<sup>™</sup> Speedglas<sup>™</sup> Welding Helmet 100V

- Made in Sweden with an industry leading 3 year warranty on lens
- New shade 3 grind feature
- New smooth ratchet head harness
- High impact to Australian & New Zealand
   Star days (NS (NISC 1227))
- Standards (AS/NZS 1337)Speedglas optical quality and comfortDark shades can be increased
- Dark shades can be increased using upgrade plates
   TST (TIG Sensor Technology)
- ISI (IIG Sensor Technology) reacts down to 10 amps
  Shades 3/8-12 with 45×93mm
- viewing area



### 3M<sup>™</sup> Welding Helmet 10V

- Longest warranty in its class 2 years
- Only 390 grams
- Three most commonly used dark shades 3/10-12
- Rated for Stick, MIG & TIG>20A
- Large viewing area 93×44 mm
- Compliant with AS/NZS1338.1 & AS/ NZS1337.1

#### Part No. AWS101110



Part No.	Description
A AWS751120	Speedglas 100V Ninja
B AWS751620	Speedglas 100V Trojan Warrior
C AWS751720	Speedglas 100V Aces High
D AW\$752220	Speedglas 100V X-Terminator
E AWS752420	Speedglas 100V Razor Dragon
<b>F</b> AW\$752520	Speedglas 100V Ice Hot
G AWS752620	Speedglas 100V Raging Skull
H AWS752720	Speedglas 100V Combat



### 3M<sup>™</sup> Speedglas<sup>™</sup> Welding Helmet Series 9100XX – While stocks last!

- Made in Sweden with an industry leading 3 year warranty on lens
- Largest viewing area on the market (73×107mm lens + SideWindows)
- Highest possible optical classification (1/1/1)

3M<sup>™</sup> Speedglas<sup>™</sup>

Welding Helmet

Exhaust vents to assist

Part No. AWS501825

\$548.10

in removing exhaled air.

9100XX

• High impact to Australian & New Zealand Standards (AS/NZS 1337.1)



### 3M<sup>™</sup> Speedglas<sup>™</sup> Flip-up Welding Helmet 9100XX FX

Flip-up mechanism reveals a clear high impact grinding visor (AS/NZS1337.1)

#### Part No. AWS541825



- Advanced TST (TIG Sensor Technology) reacts down to an industry leading 1 amp Peripheral side windows for enhanced vision
- Weld, cut, outdoor, grind, hidden arc and tack (AS/NZS1338.1)
  Shades 3/5, 8, 9-13



### 3M<sup>™</sup> Speedglas<sup>™</sup> Flip-Up Welding Helmet 9100XX FX Air with Adflo Powered Air Respirator

- Required minimum protection factor of 50
- Revolutionary powered airflow delivery results in improved respiratory protection and comfort (AS/NZS1716)
- Two adjustable air flow settings 170/200 litres per minute
  Flip-up mechanism reveals a clear high impact grinding visor
- (AS/NZS1337.1) • Carry bag included

Part No. AWS547725



GST

### GAS EQUIPMENT

Easyflo Silver Brazing Flux Paste Preferred general purpose flux, suitable for most engineering materials. Also suitable for use with all ProSilver alloys. Residue soluble in hot water or 10% caustic soda.	BOC Smootharc Nozzl Dip Anti-Spatter Gel • Prevents weld spatter from adhering to metal surfaces and welding components • Ideal for steels, aluminium and alloys • 400g Part No. 1467/400	Anti-Spatter Spra     Prevents weld spatter fro	n n n n n n n n n n n n n n n n n n n	BOC Smootharc Heavy-Duty Anti-Spatter Prevents weld spatter finathering to metal surfar welding components Ideal for steels, alumini and alloys Non-flammable Paintable formula produ uniform spray without b Soug Aerosol	ces and um Smoothart Hear brown Lees
Part No.         \$1557         59           EFLOFLUX         \$14.15         \$355	\$ <b>10</b> <sup>78</sup> \$9.80	Part No.	\$ <b>128</b> 65 ឆ្នាំ ៖116.95	Part No. \$10	Exc. 651 Inc. 651
	Ultra Gas 3 times faster heat transfer than propane! Tradeflame Ultra Gas (	• Handy p die shop • Waterpr <b>Cylinder</b> reliable	-Lite Butane Table To ortable torch for industrial main s, automotive repairs etc pof piezo electronic ignition syst ignition every time	tenance, tool and em for fast and	er
Tradeflame Blow Torch Kits	Part No. W	MC UC '	ble flame height and length, and ck-on allows hands-free operation		Weller
Part No. Description Exc. GS	T Inc. GST \$ <b>1</b> , 30	) IS Part No.	Description E	Exc. GST Inc. GST	
211056 Swivel Blow Torch Kit \$63.35		ML200		\$50.68 <b>\$55.75</b>	
211067 Turbo Blow Torch Kit \$82.59	\$90.85 \$14.82	BR200	Butane Gas Refiller 200g	\$8.54 <b>\$9.39</b>	All and a second
	BJ8719	T		BK8179	

BK8716

Primus connecting valve bent stem

Adapt pol cyl to 3/8lh fitting-straight

Handpiece without control valve

BJ8725

Part No.

BJ8719

BJ8725

BK8716

BK2119

BK8179

BK8740

POL21

Tradeflame parts

Description

Hose 2m

Hose 4m

Burner medium

Burner full flame



### Tradeflame Handyman Pack

General purpose kits designed to be connected directly to a Primus (PRI2000) refillable cylinder or to larger cylinders via a handpiece and hose assembly.

 Pinpoint Burner (BJ8720), Medium Burner (BJ8719), Fantail Burner (BJ8724), Soldering bit & holder (BK8843), Control valve (BK8716), Adapter control valve (PR01), Handpiece (BK2119), 2m Hose (BK8179) and





### **BOC MasterStart Kit**

Part No.

BOC MasterStart Kit gets you started on general oxy-acetylene welding and cutting, with the flexibility to add accessories specific to your personal and job requirements – creating your own specially customised kit.

Part No. 105001	\$ <b>369</b> <sup>60</sup>	Inc.GST
5-YEAR CONDITIONAL WARRANTY	\$336.00	Exc. GST



# Fart 1

BOC ProMaster is the supreme kit for all your welding,

BK8740

Inc. GST

\$16.60

\$24.90

\$24.90

\$20.76

\$25.95

\$39.38

\$7.79

POL21

### **BOC MasterStart LPG Kit**

BOC Masterstart LPG kit gets you started on general oxy-LPG cutting and brazing with the flexibility to add accessories specific to your requirements. Kit includes complete set of FBA

for both torch and regulator e	nds.	brazing, neating and cutting applications.							
Part No. 105009	\$36960	Inc.GST	Part No. 105003	\$48400	Inc.GST				
5-YEAR CONDITIONAL WARRANTY	\$336.00	Exc. GST	5-YEAR CONDITIONAL WARRANTY	\$440.00	Exc. GST				

BK2119

Exc. GST

\$15.09

\$22.64

\$22.64

\$18.87

\$23.59

\$35.80

\$7.08

**BOC ProMaster Kit** 

# Finding your **perfect match** is easy with this a

Also select your id	deal shielding gas from our extensive range on the back page.		el							٨	ears)				
<b>Key</b> —— rootArc°, 🚾 force <i>l</i>	Arc°, 🕿 superPuls°, 📖 impuls°, <table-cell-rows> activArc, 🔮 Spotmatic</table-cell-rows>	Mild Steel	Stainless Steel	Aluminium			yond I			Power Supply	Warranty (Years)	Price Inc.GST			
Part Number (	Description	Mild	Stair	Alur	MMA	MIG	TIG Arc Start	TIG (	TIG AC	Pow	War	Exc.GST			
	MagMate MIG 150	1		×	150A @ 60%	150A @ 60%	N/A	N/A	N/A	15A	1.5	\$ <b>587</b> 17			
WAGA	Light industrial, maintenance, DIY. Generator requirement: 9kVa				150A	150A	Z	Z	Z	-	1.5	\$533.79			
MMA130P	BOC Smootharc 130P MMA			×	130A @35%	N/A	Lift Arc	130A @35%	N/A	10A	1.5	\$ <b>215</b> 57			
WWW	DIY/light industrial use. Generator requirement: 7 kVA	•		~	130A (	N	Lift	130A (	N,	10	1.5	<sup>\$</sup> 195.98			
1206	BOC Smootharc 170P MMA				035%	A	Arc	j 35%	A	A		\$ <b>313</b> 00			
	Light/medium industrial use. Generator requirement: 9 kVA			$\times$	170A @ 35%	N/A	Lift Arc	170A @ 35%	N/A	15A	1.5	<sup>\$</sup> 284.63			
YOC YOU	BOC Smootharc 185 AC/DC TIG Variable balance control means you can select the amount of cleaning or penetration required for aluminium welds. Its pulse capability allows you to control heat input when working on			TIG Only)	35%	4		5% (DC)	35%	A		\$1059 <sup>92</sup>			
90C18	thin materials and its simplistic control panel makes it easy to use. Ideal for sheet metals, stainless steel and aluminium fabrications. Suits light industrial, maintenance and DIY jobs. Generator requirement: 9 kVA. • Made in USA. 8m BOC26 torch, gas regulator and hose included.				135A@35%	N/A	ΗĽ	180 A @ 35% (DC)	180 A @ 35%	15A	1.5	<sup>\$</sup> 963.56			
	BOC Smootharc HF DC 185 TIG Package Inverter-based TIG welding machine with added MMA welding capability. Consistently delivers high quality TIG welding of steel, stainless steel and copper. The single phase 240V (15 A) gives				60%	_		60%	7	A		<sup>\$</sup> 724 <sup>80</sup>			
	runs where high quality welds are required • Made in USA. 8m BOC26 torch, gas regulator and hose included.		<ul> <li></li> </ul>		~	×	×	150A @ 60%	N/A	ΗF	185 A @ 60%	N/A	15A	1.5	<sup>\$</sup> 658.91
	BOC Smootharc Elite 230 AC/DC VRD TIG Welder Package Low-alloy and high alloy steels as a standard. • Special function allows for joining different thicknesses of material together. • 230A of welding current from a 240V mains supply.			Only)	35%			@ 35% (DC)		4		\$4393 <sup>57</sup>			
	<ul> <li>Can be programmed to operate from a 10A outlet. The added AS 1674.2 Cat C compliant VRD</li> <li>(voltage reduction device) function makes MMA welding a safer alternative on any worksite.</li> <li>4m TIG 300 torch, gas regulator and hose included.</li> </ul>	~	<ul> <li>Image: A start of the start of</li></ul>	(AC TIG Onl	180A @ 35%	N/A	Ħ	230 A @ 3	1	15A	1.5	<sup>\$</sup> 3994.15			
	BOC Smootharc MIG 180 Suits light industrial, maintenance and DIY jobs. Simplified settings/synergic control. Generator			~	N/A	@35%	N/A	N/A	N/A	15A	1.5	<sup>\$</sup> 706 <sup>87</sup>			
	requirement: 9 kVA • 3m Binzel MB15 torch, gas regulator and hose included.	Ň		~	'N	175A @3	Ż	Ń	N	-	1.5	<sup>\$</sup> 642.61			
	BOC Smootharc Multiprocess 175 MIG Can be used for aluminium. Suits light industrial, maintenance and DIY jobs. Simplified settings/synergic control. Generator requirement: 9 kVA			(MIG Only)	@ 20%	175A @ 25%	Lift Arc	175A @ 10%	N/A	15A	1.5	\$ <b>835</b> 54			
BOC17	Reduced OCV • Set includes: 3m Binzel MB15 torch, electrode holder, 4m TIG17 torch with spares, gas regulator and hose.	Ň			175A (	175A (	Lift	175A (	N	-	1.5	<sup>\$</sup> 759.59			
35-003	BOC Smootharc Elite Multiprocess 180 Pulse A great investment for the serious welder. It offers three full-scale welding processes: MIG/MAG standard; MMA and TIG (Liftarc) welding in a single machine.			Only)	@ 110A	60%@120A	Arc	140A @ 60%	A	15A	2	\$ <b>2704</b> 00			
-0051	Pre-programmed welding tasks help save you time and perfect pulse welding allows for superior results when working with stainless steel and aluminium. • 3m EWM torch, gas regulator and hose included.	~				60% @	60% @	Lift Arc	140A @	N/A	<u>–</u>	3	<sup>\$</sup> 2458.46		
EZ DOC	BOC Smootharc Advance 200C		· •	~	A A	D35%	A	A	A	A	2	\$1448 <sup>52</sup>			
ADVANCE2 DOC	Light industrial use. Semi-syneric control. Generator requirement: 13 kVA • Includes: 3m MB24 Binzel torch, extra feed rolls, tool tray, gas regulator and hose.	~				-	$\times$	N/A	200A @35%	N/A	N/A	N/A	15A	3	<sup>\$</sup> 1316.84
E275C	BOC Smootharc Advance 275C Light and medium industrial use. Semi-synergic control. Can be used for aluminium.				A	<b>§</b> 35%	A	A	A	A	_	<sup>\$</sup> 1568 <sup>37</sup>			
AN	Generator requirement: 20 kVA • Includes: 3m MB36 Binzel torch, extra feed rolls, tool tray, gas regulator and hose.			~	N/A	275A @35%	N/A	N/A	N/A	15A	3	<sup>\$</sup> 1425.79			
E275R	BOC Smootharc Advance 275R Light and medium industrial use. Semi-synergic control. Can be used for aluminium. Greater versatility due to separate wirefeeder (10m interconnecting cable).				A	<b>§</b> 35%	A	A	A	A		<sup>\$</sup> 2151 <sup>20</sup>			
	<ul> <li>Generator requirement: 20 kVA</li> <li>Includes: 3m MB36 Binzel torch, extra feed rolls, 1m and 10m interconnection cables, tool tray, gas regulator and hose.</li> </ul>			~	∀/N	275A @35%	N/A	N/A	N/A	15A	3	<sup>\$</sup> 1955.64			

# mazing line up of welding machines from BOC

for The sup The imp	ceArc° – Heat-reduce perPuls° process swi puls° – Controlled, sl	th easy weld modelling capabilities for trouble-free gap-bridging and positional welding. ed, directionally stable, powerful arc with deep fusion penetration for the upper power range. tching – The combination of EWM welding processes offers a multitude of possibilities. hort circuit-free pulse arc for all positions, preferred for the transitional arc area. fers focussed arc for deep fusion and optimum root penetration. Fortmatic saves 50% of tacking time. Description	Mild Steel	Stainless Steel	Aluminium	Wel	-	TIG Arc J Start Joint		TIG AC	Power Supply	Warranty (Years)	Price Inc.GST Exc.GST
	ADVANCE 350R	BOC Smootharc Advance 350R Medium to heavy industrial use. Semisynergic control. Can be used for aluminium. Greater versatility due to separate wire feeder. Generator requirement: 18 kVA • Includes: 3m Abimig 355 Binzel torch, extra feed rolls, 1m and 10m interconnection cables, tool tray, gas regulator and hose.	~	1	1	V/N	350A @35%	N/A	N/A	N/A	3 phase	3	\$ <b>2907</b> 97 \$2643.61
8	Ellifemma125	BOC Smootharc Elite MMA 125 VRD Fitted with a AS 1674.2 Cat C fully compliant VRD	1	~	×	35% @ 125A	N/A	Lift Arc	60% @ 125A	N/A	10A	3	\$ <b>906</b> <sup>29</sup> \$823.90
	ELIIFEMMA162	BOC Smootharc Elite MMA 162 VRD Fitted with a AS 1674.2 Cat C fully compliant VRD	1	~	×	35% @ 150A	N/A	Lift Arc	60% @ 130A	N/A	15A	3	\$ <b>1039</b> 50 \$945.00
0	ELIITEMMA180	BOC Smootharc Elite MMA 180 VRD Fitted with a AS 1674.2 Cat C fully compliant VRD	~	~	×	20% @ 180A	N/A	Lift Arc	60% @ 125A	N/A	15A	3	\$ <b>1501</b> <sup>50</sup> \$1365.00
	ELITEMIG251	BOC Smootharc Elite MIG 251 • Duty cycle: 30% @ 250A • 4 roll drive wire feeder • Air-cooled • 12 switching steps • Euro torch connector • Weight: 87.5 kg • 3m EWM torch, gas regulator & hose included. • 10m interconnecting cable	1	~	•	N/A	30% @ 250A	N/A	N/A	N/A	15A	3	\$ <b>2227</b> <sup>50</sup> \$2025.00
	ELITEMIG451PULSE	BOC Smootharc Elite MIG 451 Progress Pulse • Duty cycle: 80% @ 420A • Water/Air-cooled • Recommended generator rating 29.1 kVA • Fitted with a PC2 remote control torch • Gas regulator & hose included. • 10m interconnecting cable • 3m EWM PC2 torch included • VRD fitted, compliant to AS 1674.2 cat C	~	1	(MIG Only)	80% @ 420 A	80% @ 420 A	Lift Arc	80% @ 420 A	N/A	3 phase	3	\$ <b>11,506</b> 50 \$10,460.45
	eureasti	BOC Smootharc Elite 351 i-BASIC • Inverter, gas-cooled • Package includes: 3m EWM torch, gas regulator & hose • MIG/MAG, forceArc, rootArc, MMA, TIG(Liftarc) & arc air gouging • Duty cycle 100% @ 350 A • Mobile – can be lifted by crane or moved by forklift • 4 roller wire feed equipped for 0.1 & 1.2mm steel wires • VRD fitted, compliant to A5 1674.2 cat C • 10m interconnecting cable	~	~	(MIG Only)	100% @ 350 A	100% @ 350 A	N/A	N/A	N/A	3 phase	3	\$ <b>7703</b> 53 \$7003.21
	ELITE451i	BOC Smootharc Elite 451 i-BASIC • Inverter, gas-cooled • Package includes: 3m EWM torch, gas regulator & hose • MIG/MAG, forceArc, rootArc, MMA, TIG(Liftarc) & arc air gouging • Duty cycle 100% @ 420A • Mobile - can be lifted by crane or moved by forklift • 4 roller wire feed equipped for 0.1 & 1.2mm steel wire • VRD fitted, compliant to AS 1674.2 cat C • 10m interconnecting cable	~	~	(MIG Only)	100% @ 420 A	100% @ 420 A	N/A	N/A	N/A	3 phase	3	\$ <b>8338</b> <sup>22</sup> \$7580.20
	091-00532	Phoenix 355 Progress Pulse • MultiMatrix • Portable, compact inverter welding machine, DC, pulse • Modular (gas/water-cooled) • Multiprocess • Progress: Setting of all welding parameters and functions one-knob operation (Synergic) – pre- programmed welding tasks, • Ideal for welding self-shielding flux cored wires • Connection capability for remote control, function torch, cooling unit • Protective earth monitoring (PE) • Cooling unit can be added • 4-roll drive. Equipped for 1.0mm + 1.2mm steel wires • Innovative pulse welding • Extremely productive with uncompromising quality • Reliable short arc welding in all positions • 3m EWM PC2 torch, gas regulator & hose included	~	~	(MIG Only)	60% @ 300 A	60% @ 300 A	Lift Arc	60% @ 300 A	N/A	3 phase	3	\$ <b>5575</b> 97 \$5069.06
	091-000183-28532	<b>Tetrix 200 Comfort 8P TG<sup>TM</sup></b> • Portable VRD gas-cooled welder • Easy to use on site • Ideal for every construction site • 8 JOBs can be programmed • Connection capability for remote control and function torch • 3m mains supply lead with 16A shock-proof plug • DC only • Overvoltage protection: Endless power with a 1-phase mains supply • Reliable ignition • Precise, focused arc with high plasma pressure • 8m TIG200 torch with U/D control, gas regulator & hose included	~	1	×	60% @ 120A	N/A	ΗF	60% @ 110A	N/A	15A	3	\$ <b>2984</b> <sup>21</sup> \$ 2712.92
	091-000186-28532	Tetrix 300 2-Comfort 8P™ DC TIG Welder         • A modular (gas or water cooled) DC inverter welding machine.       • SloBs can be programmed. • Portable, compact, modular         • Connection capability for remote control, function torch, cooling unit.       • Cooling unit can be changed with no need for tools         • 4m TIG 300 torch, gas regulator & hose included       • More included	~	1	×	~	N/A	ΗF	60% @ 240A	N/A	3 phase	3	<sup>\$</sup> 4417 <sup>41</sup> <sup>\$</sup> 4015.83
<u>के</u>	TETRIX300 ACDCVRD	Tetrix 300 AC/DC Comfort <sup>TM</sup> • Perfect for large construction and tough assembly work         • VRD function makes MMA welding a safe alternative         • Torch allows easy control of programs and functions         • AC special – reliable joining of aluminium with different thicknesses         • 8 JOBs can be programmed • 4m TIG 300 torch, gas regulator & hose included	1	1	(AC TIG Only)	60% @ 270A (DC)	N/A	ΗF	100% @ 210A	1	3 phase	3	<sup>\$</sup> 6190 <sup>02</sup>

### TRADE TOOLS & CONSUMABLES



### Silicon Bronze Welding Wire

• Used for welding of galvanised steel and MIG brazing of light gauge sections

Part No.	Size	Exc. GST	Inc. GST
211509	0.9 mm, 5 kg	\$124.42	\$136.86
211009	0.9 mm, 13.6 kg	\$347.70	\$382.47



#### **BOC ProSilver Silver Brazing Alloys**

Part No.	Description	EXC. GST	INC. GST
LTAP0205	ProSilver 2 2.5 × 750 mm, 0.5 kg	\$38.87	\$42.76
LTAT4501	ProSilver 45T 1.5 × 750 mm, 0.5 kg	\$304.00	\$334.40
LTAT4564	ProSilver 45T 1.5 × 500 mm, 2 rods	\$28.16	\$30.98
LTAF4550T	Silvercoat 45T 1.5 × 500 mm, 2 rods	\$28.81	\$31.69
LTAP1507	ProSilver 15 2.5 x 750 mm, 0.5 kg	\$104.53	\$114.99



### **BOC Gouging Carbon DC**

• Compacted quality carbon / graphite ensures effective, fast and efficient metal removal • Pack of 50 gouging carbons

5 5 5		
Size	Exc. GST	Inc. GST
6.5 x 305 mm	\$21.03	\$23.13
8.0 x 305 mm	\$25.69	\$28.26
9.5 x 305 mm	\$28.59	\$31.45
	6.5 x 305 mm 8.0 x 305 mm	6.5 x 305 mm         \$21.03           8.0 x 305 mm         \$25.69





### Multi purpose trolley cart

TIG 185 DC, TIG 185ACDC,

400840

MMA130 and MMA170

machines.

Part No.

· Convert your portable machine with this rolling steel welding cart - making it perfect for the novice or professional welder. Suitable for the BOC Smootharc MIG 180, 175 Multiprocess,

°6931

\$63.01

Wrench Set\* 72 Teeth Gear Reversible Ratchet • 15° Offset • Sizes: 6, 8, 10, 12, 13, 14, 15, 17, 19, 21, 22, 24, 25 mm Forged CR-V Steel, Hardened, Mirror Polished & Chrome Plated 3464 BOCTM037 Part No.

boc.com.au

\*While stocks last.

🖉 вос

13 Piece

Reversible

TRADE<u>MA</u>STER

**Combination Gear** 



\$122.40

### **BOC LED Work Light**

#### 21+5 LED dual function work light

- · Power switch for work light & torch control
- Rechargeable 3.7V 1200 MAH lithium battery
- Mains (240V) & car (12V)
- chargers included
- Strong magnet base
- with foldable design and easy hook mounts





GST.



GST

### Fluorolok 8m Measuring Tape

- Sure toggle lock button
- and over centre lock-shoe Removable belt clip
- · Manufactured in Australia
- to comply with Australian Standard AS 1290-4-1995
- 8 m × 25 mm

Part No. 100192



00

00

0

## **NEW** BISLEY RANGE FEATURING HARD-WEARING, BREATHABLE, RIPSTOP FABRIC

	hirts pockets with touch tape closure	\$41.25	Exc. 88	From <sup>\$</sup> 51 <sup>\$46.1</sup> BISLEY <sup>®</sup> X A Vented Wor	ຍ 50 ສີຮູ irflow™ Ri	AVAILABL	E TO ORDER	From \$57 \$52 BISLEY® X A Engineered	\irflow <sup>™</sup> Ri	availabl pstop	G F F T O O R C S
<ul> <li>Two piece structure</li> <li>100% Cotton Ripsto</li> <li>100% Cotton Mesh</li> </ul>	1 5	Orange /Navy		<ul> <li>Curved waistba</li> <li>Front slant pock</li> <li>Front LHS multi</li> <li>100% Cotton Tw</li> <li>100% Cotton M</li> </ul>	ets purpose pocket vill Ripstop 2340	and flap	k	<ul> <li>Modern engine</li> <li>Double layer co</li> <li>Curved waistba</li> <li>Multiple pocket</li> <li>100% Cotton Tv</li> </ul>	ntoured knee nd to prevent g s	aping at bac	k
Sizes: S-6XL		orange/ wavy		Colours: Bla	-	al 🌑 Navi	v	Colours: Black		-	v
Bisley style code	Description	Exc. GST	Inc. GST	<ul> <li>Sizes: Regular, S</li> </ul>			,	<ul> <li>Sizes: Regular, S</li> </ul>			/
BS6414	Solid Colour	\$41.25	\$45.38	Bisley style code	Description	Exc. GST	Inc. GST	Bisley style code	Description	Exc. GST	Inc. GST
B BS6415	Two Tone	\$41.25	\$45.38	D BP6474	Vented	\$46.50	\$51.15	<b>F</b> BP6475	Cargo	\$52.50	\$57.75
BS6415T	Two Tone with reflective Tape	\$56.25	\$61.88	E BP6474T	with Tape	\$54.00	\$59.40	G BP6475T	with Tape	\$57.00	\$62.70



Download from:

# Easy shopping ...made easier with a BOC account

Visit www.boc.com.au, click on 'Open a Trading Account', fill in the form, submit your ID details and start trading instantly.



Call 131 262



Go online boc.com.au

All savings and offers apply to list price sales of selected items. Bonuses only available with purchase of advertised lines from BOC Gas & Gear Stores. Advertised prices are inclusive of indicated discounts. Every product in this catalogue can be ordered through your local BOC Gas & Gear Store even though they may not have it immediately available from stock. Promotional pricing in this catalogue is not applicable to customers who already have agreed special pricing on a particular product/s. If a customer has special pricing loaded for a particular product(s) on their account, they will not be eligible for any promotional pricing for that product(s), including when the promotional pricing is cheaper. Not all products advertised may be available online at boc.com.au. Additional freight charges may apply in some areas. Promotion prices and offers valid from 01/06/15 until 31/07/15 or while stocks last. No rainchecks. Note: While all due care has been taken in the preparation of this document, BOC shall not be liable for any inaccuracies or omissions which may occur herein. BOC reserves the right to change product specifications without notice. Copyright 2015 BOC Limited. The stripe symbol and the letters BOC are trademarks of BOC Limited, a Member of The Linde Group. Gas & Gear is a trading name of BOC Limited.



### WIN a BOC Smootharc 180 MIG Welder and a Speedglas 9100XX Welding Helmet valued at \$1329.54 inc GST!

To enter simply make any purchase either in store, by telephone, or online, of at least 1 item from this catalogue within the promotional period. Fill out the online entry form on www.boc.com.au\* \*Full terms and conditions can be found at www.boc-limited.com.au/en/news\_and\_media/competitions/

Entry is only open to residents of Australia over the age of 18. Competition Licences: NSW: LTPS-15-03149, ACT: TP 15/05630

# Let's give breast cancer the **boot**



**\$10** from every pair sold is donated to help support women with breast cancer.





Southern Cross Women's Boots

Extra underfoot comfort!

- 150 mm lace-up ankle boot with padded collar and tongue.
- Colours: PNK (Pink), PUR (Purple)
- Sizes: 4-11 (5.5-10.5 half sizes)

Part No. 522760/colour/size

6ST 6ST

/ 74

<sup>\$</sup>158.85

Blue men's boot can also be purchased online at www.boc.com.au or ordered through your local Gas & Gear.

# **30% off**\*\* list price for shielding gases

\*Promotional gas offer is not applicable to customers who already have agreed special pricing on a particular gas product/s.

Shielding gas selection chart. (For GMA, flux-cored, metal-cored, solid wire welding)

Shielding gases are an				Material Thickness (mm)	Weld Cha	racteristics				
important input into				1-12 13+		Spatter free		Fillet shape	Finish	
the welding process.	Cylinder					X	<u> </u>			
Shielding gas can	Colours	Gas	Code							Principal Benefits
mpact:	GMAW C	arbon and Low Alloy Ste								Versetile for this material
Metal transfer		ARGOSHIELD <sup>®</sup> Light	060		***	***	**1	***	**1	Versatile for thin material, Minimal spatter.
<ul> <li>→ Arc stability</li> <li>→ Surface appearance</li> <li>→ Weld geometry</li> <li>→ Welding speed</li> </ul>		ARGOSHIELD <sup>®</sup> Universal	065		**1	* * *	* * *	***	***	Most versatile wide working range.
		ARGOSHIELD <sup>®</sup> Heavy	122		***	* * *	* * *	***	***	Good appearance Low defect levels on thick material.
		ARGOSHIELD <sup>®</sup> MCW	066		***	* * *	* * 1	* * 1	**1	Versatile suitable for solid and Metal Cored wire, up to 12mm.
		ARGOSHIELD <sup>®</sup> 52	070		***	* * *	* * *	* * *	* * *	Ideal for flux cored welding Good penetration.
	FCAW Ca	rbon, Alloy and Stainless	Steels							
		ARGOSHIELD <sup>®</sup> 52	070		***	* * *	* * *	***	***	Good weld appearance, superior control in positional welding.
	MCAW Ca	arbon and Low Alloy Stee	els							
		ARGOSHIELD <sup>®</sup> MCW	066		***	***	***	***	***	Excellent appearance, low slag.
		ARGOSHIELD <sup>®</sup> 52	070		***	***	***	***	***	Good penetration.
	GMAW S	tainless Steels								
#If a customer has special pricing loaded for a particular product(s) on their account, they will not be eligible for any promotional pricing for that product(s), including when the promotional pricing is cheaper. Offer valid from 01 June to 31 July 2015 for single cylinders only (not packs). Discount applicable only to gas component and does not apply to rental, handling, delivery.		STAINSHIELD®	075		***	***	***	***	***	Downhand fillet welding, thin plate.
		STAINSHIELD <sup>®</sup> Light	119		***	* * *	* * 1	***	**1	General purpose mixture, good wetting action, smooth weld surface.
		STAINSHIELD <sup>®</sup> Heavy	092		***	* * *	* * *	***	***	Versatile on thick material Excellent arc stability, fast speed, good penetration.
	GMAW Aluminium and Alloys									
		ALUSHIELD <sup>®</sup> Light	079		***	***	***	***	***	Minimal spatter, good appearance, fast weld speed.
		ALUSHIELD <sup>®</sup> Universal	069		***	***	* * *	***	***	Most versatile wide working range.
		ALUSHIELD <sup>®</sup> Heavy	133		***	* * *	* * *	***	***	Fast, good penetration on thicker material, wide bead shape.

BOC Limited ABN 95 000 029 729

10 Julius Avenue North Ryde NSW 2113 Australia Phone 131 262, Fax 132 427, www.boc.com.au

BOC is a Member of The Linde Group. BOC is a trading name of BOC Limited. © BOC Limited 2015. MP15-0106. FDAUS. 0615 While stocks last. Sorry, no rainchecks.



